

ATLANTIC MP POWER STEERING FLUID

Product Description:

Atlantic MP Power Steering Fluid is a full synthetic high-performance long-life hydraulic fluid designed for power steering units fitted to late model vehicles. It is also suitable for hydraulic clutches, convertible tops (electro-hydraulic), hydro-pneumatic suspension units and hydraulic actuator systems fitted to some modern dual-clutch transmissions. Atlantic MP Power Steering Fluid provides superior thermal stability even in the most extreme ambient conditions.

Features and Benefits:

- Fully Synthetic long-life Hydraulic fluid
- Assists in enhancing steering response time
- Helps to minimize pump noise
- Superior thermal stability
- Designed for extreme ambient temperatures
- Excellent hose & oil seal compatibility
- Minimises inventory



Typical Data:

Test Description	Method	Units	Results
Colour	Visual	-	Amber
Density @ 15°C	ASTM D 4052	kg/L	0.869
Viscosity, Kinematic @ 40°C	ASTM D 445	cSt	30.79
Viscosity, Kinematic @ 100°C	ASTM D 445	St	6.62
Pour Point	ASTM D97	°C.	>-40
Viscosity Index	ASTM D 2270	-	179

Atlantic Lubricants Pty Ltd (ABN 67 088 335 059)

SYDNEY

40 Liverpool Street
Ingleburn NSW 2565
Ph: (02) 9829 7555
Fax: (02) 9829 4555

QUEENSLAND

P.O. Box 1250
Slacks Creek
QLD 4127
M: 0402 644 575

VICTORIA

6A Nicholas Drive
Dandenong South 3175
Ph: (03) 9768 3307
Fax: (03) 9768 2832

NEWCASTLE

31 Old Punt Road
Tomago NSW 2322
Ph: (02) 4964 8436

DARWIN

Unit 1A
894 Stuart Highway
Pinelands NT 0829
M: 0477 200 567

CANBERRA

P.O. Box 733
Gungahlin
ACT 2912
M: 0411 094 945

TASMANIA

42 - 44 Devonport Road
Quoiba 7310
Ph: (03) 6423 4900
Fax: (03) 6423 4800

PACK SIZE	PRODUCT CODE
5 Litre	PSFMP001
20 Litre	PSFMP002



Specifications/ Performance Levels:

- **Audi:** G 002 000/ G 002 012
- **Chrysler:** MS-1872
- **Chrysler:** MS-5931, P/N 04883077
- **Chrysler:** MS-9602, ATF+2. ATF+3. ATF+4
- **Chrysler:** MS-11655
- **Daihatsu Ammix:** ATF D3-SP , ATF Z-1
- **Ford:** M2C195-A
- **Ford:** M2C204-A
- **GM:** Dexron IID, III
- **GM:** P/N 88901975, 89021184,
- **GM:** 9985010, P/N 1052884
- **GM:** 9985835, P/N 12345866
- **GM:** HN 2305
- **Hyundai / Kia:** PSF-3
- **Hyundai / Kia:** PSF-4
- **Mercedes Benz:** 236.3, 345.0
- **Mitsubishi:** PS Fluid
- **Mitsubishi:** Diamond SP III
- **Mazda:** M-III
- **Nissan:** PSF-II
- **Pentosin:** CHF 11S
- **Pentosin:** CHF 202
- **Saab:** (45) 30 09 800
- **Saab:** 30 32 380
- **Subaru:** K0209A0080
- **Texaco:** Cold Climate Fluid 33270
- **Toyota:** PSF Type EH, P/N 008886-01
- **VW:** G 002 000/ G 002 012
- **VW:** TL 52146
- **Volvo:** 1161529

Do not use in automatic transmissions. Always refer to the Atlantic Lube Guide for product applications.



All recommendations for the use of our products, whether given by us in writing, verbally, or to be implied from the results of tests carried out by us, are based on the current state of our knowledge. Notwithstanding any such recommendations the Buyer shall remain responsible for satisfying himself that the products as supplied by us are suitable for his intended process or purpose. Since we cannot control the application, use or processing of the products, we cannot accept responsibility, therefore. The Buyer shall ensure that the intended use of the products will not infringe any third party's intellectual property rights. We warrant that our products are free from defects in accordance with and subject to our general conditions of supply.

Copyright © 2021 Atlantic Lubricants Pty Ltd. All rights reserved.

27 October 2021

Atlantic Lubricants Pty Ltd (ABN 67 088 335 059)

SYDNEY

40 Liverpool Street
Ingleburn NSW 2565
Ph: (02) 9829 7555
Fax: (02) 9829 4555

QUEENSLAND

P.O. Box 1250
Slacks Creek
QLD 4127
M: 0402 644 575

VICTORIA

6A Nicholas Drive
Dandenong South 3175
Ph: (03) 9768 3307
Fax: (03) 9768 2832

NEWCASTLE

31 Old Punt Road
Tomago NSW 2322
Ph: (02) 4964 8436

DARWIN

Unit 1A
894 Stuart Highway
Pinelands NT 0829
M: 0477 200 567

CANBERRA

P.O. Box 733
Gungahlin
ACT 2912
M: 0411 094 945

TASMANIA

42 - 44 Devonport Road
Quoiba 7310
Ph: (03) 6423 4900
Fax: (03) 6423 4800