



# SAFETY DATA SHEET

## ATLANTIC NO<sub>x</sub> NEUTRALISER

Version 1.0

Issue Date: 07/11/2019

Issued by Atlantic Lubricants Pty. Ltd.

### 1. IDENTIFICATION OF THE SUBSTANCE/ PREPARATION AND COMPANY

**Product Name** : Atlantic NO<sub>x</sub> Neutraliser  
**Product Code** : NOX0000  
**Company Name** : Atlantic Lubricants Pty Ltd (ABN 67 088 335 059)  
**Address** : 40 Liverpool Street Ingleburn NSW 2565  
**Telephone/ Fax No** : Tel: (02) 9829 7555 Fax: (02) 9829 4555  
**Web** : www.atlanticoil.com  
**Emergency Telephone** : (02) 9829 7555  
Poisons Information Centre (Aust. 13 11 26)  
**Other Product Information** : (02) 8706 3240

### 2. HAZARD(S) IDENTIFICATION

**Classification of the mixture** : Not Classified as a Hazardous Chemical  
**Signal Word** : Not Applicable  
**Pictograms** : Not Applicable  
**Hazard Statements** : Not Applicable  
**Precautionary Statements** : Not Applicable  
**Poisons Schedule** : Not Scheduled

### 3. COMPOSITION/ INFORMATION ON INGREDIENTS

COMPONENT	%(w/w)	CAS NUMBER
Urea	30-40%	8042-47-5
Water	>60	7732-18-5



# SAFETY DATA SHEET

---

## 4. FIRST AID MEASURES

---

### Description of necessary first aid measures

- Eye** : If contact with the eye(s) occurs, wash with copious amounts of water, holding eyelids(s) open. Take care not to rinse contaminated water into the non-affected eye. Seek medical attention.
- Inhalation** : Remove the source of contamination or move the victim to fresh air. Keep at rest. Administer artificial respiration if breathing is stopped. Seek medical attention.
- Ingestion** : Give glass of water. Seek medical attention if irritation develops or vomiting has occurred. If in doubt, contact the Poisons Information Centre or a doctor.
- Skin** : Remove contaminated clothing. Wash gently and thoroughly with water and non-abrasive soap. Ensure contaminated clothing is washed before re-use or discard. If irritation develops, seek medical attention.
- Notes to Physician** : Treat symptomatically with supportive care.

For further information contact Poisons Information Centre (Aust. 13 11 26)

---

## 5. FIRE FIGHTING MEASURES

---

- Extinguishing Media** : Use extinguishing media appropriate for surrounding fire. Use foam, dry chemical, carbon dioxide or water spray.
- Specific Hazards** : This material is not readily combustible under normal conditions.
- Hazards From Combustion Products** : Combustion of the residual material after evaporation of the aqueous component may produce Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NO<sub>x</sub>) and other pyrolysis products typical of burning organic material.
- Precautions in Connection with Fire** : Self-Contained Breathing Apparatus (S.C.B.A) and full protective firefighting clothing.

---

## 6. ACCIDENTAL RELEASE MEASURES

---

Increase ventilation. Evacuate all unnecessary personnel. Wear full protective equipment and clothing to minimise exposure. If possible, contain the spill. Place inert, non-combustible, absorbent material onto spillage. Use clean non-sparking tools to collect the material and place into a suitable labelled container. Dispose of in accordance with State, Local Government, EPA or related Regulations or Codes of Practice. Prevent liquid from entering sewers, watercourses, or low-lying areas. If large quantities of this material enter the waterways contact the Environmental Protection Authority, or your local Waste Management Authority.



# SAFETY DATA SHEET

---

## 7. HANDLING AND STORAGE

---

- Handling** : Repeated or prolonged contact with this material should be avoided in order to lessen the possibility of skin disorders. It is essential that all who come into contact with this material maintain high standards of personal hygiene i.e. washing hands prior to eating, drinking or going to the toilet. Build-up of mists in the working atmosphere must be prevented. Misuse of empty containers can be hazardous. Do not cut, weld, heat or drill containers. Do not pressurise or expose to open flame or heat. Keep container closed and bung in place.
- Storage** : Combustible liquid for storage and handling purposes. Store in a cool, dry, well-ventilated area, out of direct sunlight. Avoid sparks, flames, and other ignition sources. Store away from incompatible materials such as materials that support combustion (oxidising materials). Reference should be made to Australian Standard AS1940- The storage and handling of flammable and combustible liquids. Store in original packaging as approved by manufacturer or regulatory direction.

---

## 8. EXPOSURE CONTROLS, PERSONAL PROTECTION

---

- Exposure Limits** : An exposure standard has not been established for this material by Safe Work Australia. Decomposed urea may form ammonia. The following data may apply. **TWA 5mg/m<sup>3</sup> STEL 24mg/m<sup>3</sup>**
- Respiratory Protection** : If engineering controls are not effective in controlling airborne exposure then respiratory protective equipment should be used suitable for protecting against airborne contaminants. Final choice of appropriate breathing protection is dependent upon actual concentrations and the type of breathing protection required will vary according to individual circumstances. Expert advice may be required to make this decision. Reference should be made to Australian Standards AS/NZS 1715, selection. Use and maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices.
- Eye Protection** : Safety glasses with side shields, goggles or full-face shield is recommended. Final choice of appropriate eye/face protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 – Personal Eye Protection Part 1: Eye and Face Protectors for Industrial Applications.



# SAFETY DATA SHEET

## 8. EXPOSURE CONTROLS, PERSONAL PROTECTION

(Continued)

- Hand Protection** : Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.
- Body Protection** : Wear appropriate clothing including chemical resistant apron where clothing is likely to be contaminated. It is advisable that a local supplier of personal protective clothing is consulted regarding the choice of material.
- Engineering Controls** : Natural ventilation should be sufficient, however where vapours or mists are generated the use of a local exhaust ventilation system (drawing spray or mists away from workers breathing zone) is recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	:	Clear colourless liquid
<b>Odour</b>	:	Mild
<b>Solubility in Water</b>	:	Miscible
<b>pH Value</b>	:	9.8-10
<b>Electrostatic Stability</b>	:	Not Provided
<b>Vapour Pressure</b>	:	Not Provided
<b>Vapour Density</b>	:	Not Provided
<b>Flash Point</b>	:	Not Provided
<b>Ignition Temperature</b>	:	Not Provided
<b>Melting Point</b>	:	-11°C
<b>Boiling Point</b>	:	Not Provided
<b>Specific Gravity @ 15°C</b>	:	1.09
<b>Kinematic Viscosity cSt @ 40°C</b>	:	Not Provided
<b>cSt @ 100°C</b>	:	Not Provided
<b>Pour Point</b>	:	Not Provided

## 10. STABILITY AND REACTIVITY

- Stability** : Stable under normal conditions.
- Hazardous Polymerization** : Will not occur.
- Materials to Avoid** : Strong oxidising agents and acids.



# SAFETY DATA SHEET

---

## 10. STABILITY AND REACTIVITY

(Continued)

- Hazardous Decomposition Products** : At high temperatures, urea will decompose to ammonia and carbon dioxide. In a fire, the residual may emit nitrogen oxides, cyanuric acid and/ or ammonia.
- Hazardous Reaction** : Hazardous reaction with strong oxidising agents and acids.
- Conditions to avoid** : Heat, direct sunlight, open flames or other sources of ignition.

---

## 11. TOXICOLOGICAL INFORMATION

### ACUTE HEALTH EFFECTS

- Toxicology Information** : No toxicity data is available for this material.
- Inhalation** : May cause irritation to the mucous membrane and upper airways, where material is heated and is used in poorly ventilated areas. Symptoms may include headache, dizziness and nausea.
- Ingestion** : May cause irritation of the gastrointestinal system. Symptoms may include nausea, vomiting and diarrhoea. It may also cause headache, confusion and electrolyte depletion.
- Skin** : May cause mild irritation in contact with the skin, which may result in redness and itchiness, possibly leading to dermatitis.
- Eye** : May cause mild irritation in contact with the eyes which could result in redness, stinging and tearing. Prolonged exposure could lead to conjunctivitis.

### CHRONIC HEALTH EFFECTS

- Chronic Effects** : Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health effects involving organs or biochemical systems.

---

## 12. ECOLOGICAL INFORMATION

- Ecotoxicity** : Not established for this product as a whole.
- Persistence /Degradability** : Expected to be readily biodegradable.
- Mobility** : Can be partially absorbed by earth.
- Bioaccumulation** : Unlikely to bioaccumulate.
- Environmental Protection** : Do NOT discharge into sewer or waterways



# SAFETY DATA SHEET

---

## 13. DISPOSAL CONSIDERATIONS

---

Dispose of waste according to state E.P.A. regulations. Assure conformity with all applicable regulations.

---

## 14. TRANSPORT INFORMATION

---

Not classified as a Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.

**U.N. NUMBER** : None Allocated  
**PROPER SHIPPING NAME** : None Allocated  
**DG CLASS** : None Allocated  
**SUBSIDIARY HAZARD** : None Allocated  
**HAZCHEM CODE** : None Allocated  
**PACKING GROUP** : None Allocated

---

## 15. REGULATORY INFORMATION

---

**POISONS SCHEDULE** : Not scheduled

---

## 16. OTHER INFORMATION

---

**REFERENCES** : AS/NZS 1715 - Use and maintenance of Respiratory Protective Devices.  
AS/NZS 1716 - Respiratory Protective Devices.  
AS/NZS 1337 - Personal eye protection Part 1: Eye and face protectors for occupational applications.  
AS/NZS 2161.1 - Occupational protective gloves.  
AS 1940 - The storage and handling of flammable and combustible liquids.

### CONTACT

For information concerning details on this Safety Data Sheet contact Atlantic Technical Help Line on (02) 8706 3240.

All reasonable care has been taken to ensure that the information and advice contained herein are accurate at the time of printing. However, Atlantic accepts no tortious or contractual liability for any loss or damages suffered as a consequence of reliance on the information and advice contained herein.

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS MSDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE. IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.