


ATLANTIC NEW GENERATION LV

Product Description:

Atlantic New Generation LV has been specifically designed for use in modern Asian built automatic transmissions. It provides superior fluidity at low temperatures, smoother shifting, excellent oxidation and thermal stability and maximises fuel efficiency. New Generation LV is also suitable for use in latest technology 6, 7 & 8 speed transmissions where a low viscosity multi-vehicle full synthetic technology ATF oil is required. New Generation LV can also be used in many modern power steering units. Always refer to the Atlantic Lube Guide for the correct product application. NEW GENERATION LV IS NOT SUITABLE FOR CONTINUOUSLY VARIABLE TRANSMISSIONS (CVT) OR DUAL CLUTCH TRANSMISSIONS (DCT).

Features and Benefits:

- Fully synthetic offering long service intervals
- Smoother shifting
- Excellent oxidation and thermal stability
- Increased wear protection
- Superior fluidity at low temperatures
- Maximises fuel efficiency
- Superior anti-shudder performance



Typical Data:

Test Description	Method	Units	Results
Colour	Visual		Amber
Density @ 15°C	ASTM D 4052	kg/L	0.848
Viscosity, Kinematic @ 40°C	ASTM D 445	cSt	31.8
Viscosity, Kinematic @100°C	ASTM D 445	cSt	5.8
Viscosity Index	ASTM D 2270	-	156
Pour Point	ASTM D 97	°C	-45
Brookfield Viscosity @ -40°C	ASTM D 2983	cP	10200

Atlantic Lubricants Pty Ltd (ABN 67 088 335 059)

SYDNEY

40 Liverpool Street
Ingleburn NSW 2565
Ph: (02) 9829 7555
Fax: (02) 9829 4555

QUEENSLAND

P.O. Box 1250
Slacks Creek
QLD 4127
M: 0402 644 575

VICTORIA

6A Nicholas Drive
Dandenong South 3175
Ph: (03) 9768 3307
Fax: (03) 9768 2832

NEWCASTLE

31 Old Punt Road
Tomago NSW 2322
Ph: (02) 4964 8436

DARWIN

Unit 1A
894 Stuart Highway
Pinelands NT 0829
M: 0477 200 567

CANBERRA

P.O. Box 733
Gungahlin
ACT 2912
M: 0411 094 945

TASMANIA

42 - 44 Devonport Road
Quoiba 7310
Ph: (03) 6423 4900
Fax: (03) 6423 4800

PACK SIZE	PRODUCT CODE
5 Litre	TNGL0001
20 Litre	TNGL0002
60 Litre	TNGL0003
205 Litre	TNGL0004



Specifications/ Performance Levels:

- **Aisin Warner:** AW-1
- **AUDI:** G 052 540, G 055 005, G 055 162, G 055 540, G 060 162
- **BMW:** 83 22 0 142 516, 83 22 2 152 426
- **Ford:** Mercon LV & SP
- **GM:** Dexron VI
- **Honda:** DW-1
- **Hyundai/Kia:** SP-IV, SPH-IV, SP-IV RR
- **Hyundai:** NWS-9638
- **JASO:** 1-A-LV
- **JWS:** 3324
- **Mazda:** FZ
- **Mercedes-Benz:** 236.12, 236.14, 236.15, 236.41
- **Mitsubishi:** ATF-J2, SP-IV, ATF-PA
- **Nissan:** Matic S, Matic W
- **Toyota:** WS (JWS 3324)
- **Saab:** 93 165 147
- **Volvo:** P/N 31256774, 31256675
- **VW:** G 052 540, G 055 005, G 055 162, G 055 540, G 060 162
- **ZF:** Lifeguard 6 (S671 090 255)
- **ZF:** Lifeguard 8



All recommendations for the use of our products, whether given by us in writing, verbally, or to be implied from the results of tests carried out by us, are based on the current state of our knowledge. Notwithstanding any such recommendations the Buyer shall remain responsible for satisfying himself that the products as supplied by us are suitable for his intended process or purpose. Since we cannot control the application, use or processing of the products, we cannot accept responsibility, therefore. The Buyer shall ensure that the intended use of the products will not infringe any third party's intellectual property rights. We warrant that our products are free from defects in accordance with and subject to our general conditions of supply.

Copyright © 2021 Atlantic Lubricants Pty Ltd. All rights reserved.

5 January 2021

Atlantic Lubricants Pty Ltd (ABN 67 088 335 059)

SYDNEY

40 Liverpool Street
Ingleburn NSW 2565
Ph: (02) 9829 7555
Fax: (02) 9829 4555

QUEENSLAND

P.O. Box 1250
Slacks Creek
QLD 4127
M: 0402 644 575

VICTORIA

6A Nicholas Drive
Dandenong South 3175
Ph: (03) 9768 3307
Fax: (03) 9768 2832

NEWCASTLE

31 Old Punt Road
Tomago NSW 2322
Ph: (02) 4964 8436

DARWIN

Unit 1A
894 Stuart Highway
Pinelands NT 0829
M: 0477 200 567

CANBERRA

P.O. Box 733
Gungahlin
ACT 2912
M: 0411 094 945

TASMANIA

42 - 44 Devonport Road
Quoiba 7310
Ph: (03) 6423 4900
Fax: (03) 6423 4800