

ATLANTIC EP 00 GREASE

Version 1.0 Issue Date: 5/11/2019 Issued by Atlantic Lubricants Pty. Ltd.

1. IDENTIFICATION OF THE SUBSTANCE/ PREPARATION AND COMPANY

Product Name : Atlantic EP 00 Grease

Use : Multipurpose Grease

Product Code : GRSMEP0

Company Name : Atlantic Lubricants Pty Ltd (ABN 67 088 335 059)

Address : 40 Liverpool Street Ingleburn NSW 2565

Telephone/ Fax No : Tel: (02) 9829 7555 Fax: (02) 9829 4555

Web : www.atlanticoil.com

Emergency : (02) 9829 7555

Telephone Poisons Information Centre (Aust. 13 11 26)

Other Product :

Information

(02) 8706 3240

2. HAZARD(S) IDENTIFICATION

Classification of the mixture : Not Classified as a Hazardous Chemical

Signal Word:Not ApplicablePictograms:Not ApplicableHazard Statements:Not ApplicablePrecautionary Statements:Not ApplicablePoisons Schedule:Not Scheduled

3. COMPOSITION/ INFORMATION ON INGREDIENTS

COMPONENT	%(w/w)	CAS NUMBER
Blend of mineral oils	80-85%	64742-54-7
Lithium 12 hydroxysterate	N/A	1370-86-6
Zinc Dialkyldithiophosphate	1.5%	68649-42-3

SDS – Atlantic EP 00 Grease



4. FIRST AID MEASURES

Description of necessary first aid measures

If contact with the eve(s) occurs, wash with copious amounts of water, holding Eye

> eyelids(s) open. Continue flushing for at least 15 minutes. Take care not to rinse contaminated water into the non-effected eye. If irritation develops and persists,

seek medical attention

Inhalation : Remove the source of contamination or move the victim to fresh air.

Seek medical attention if symptoms occur.

Ingestion Do NOT induce vomiting. Immediately wash out mouth with water.

Seek medical attention.

Skin Remove contaminated clothing. Wash gently and thoroughly with water and

> non-abrasive soap. Ensure contaminated clothing is washed before re-use or discard. If irritation develops, seek medical attention, Medical advice must be obtained urgently if product under high pressure has been injected through the

skin.

Note: High pressure applications injections through the skin resulting from contact with this product at high pressure constitutes a major medical emergency. Injuries may not appear at first but within a few hours tissue becomes swollen, discoloured and extremely painful with extensive subcutaneous necrosis. Surgical exploration

should be undertaken without delay.

Thorough and extensive debridement of the wound and underlying tissue is necessary to minimise tissue loss and prevent or limit permanent damage. Note that high pressure may force the product considerable distances along the tissue

planes.

Notes to **Physician** Treat symptomatically with supportive care.

First Aid **Facilities** Eyewash and normal washroom facilities.

For further information contact Poisons Information Centre (Aust. 13 11 26)

5. FIRE FIGHTING MEASURES

Carbon dioxide, alcohol-resistant foam, dry chemical & water fog. **Extinguishing Media**

Specific Hazards This product will readily burn under fire conditions.

Combustible solid >250 Deg. C.

Hazards From Combustion Products

Under fire conditions this product may emit toxic and/or irritating

fumes and smoke.

SDS - Atlantic EP 00 Grease 2 | Page



5. FIRE FIGHTING MEASURES

(Continued)

Precautions in Connection with Fire

Self-Contained Breathing Apparatus (S.C.B.A) and full protective

firefighting clothing.

6. ACCIDENTAL RELEASE MEASURES

Remove all sources of ignition. Increase ventilation. Evacuate all unnecessary personnel. Wear full protective equipment and clothing to minimise exposure. If possible, contain the spill. Place inert, non-combustible, absorbent material onto spillage. Use clean non-sparking tools to collect the material and place into a suitable labelled container.

Dispose of in accordance with State, Local Government, EPA or related Regulations or Codes of Practice. If large quantities of this material enter the waterways contact the Environmental Protection Authority, or your local Waste Management Authority.

7. HANDLING AND STRORAGE

Handling : Repeated or prolonged contact with this material should be avoided in

order to lessen the possibility of skin disorders. It is essential that all who come into contact with this material maintain high standards of personal hygiene i.e. washing hands prior to eating, drinking or going to the toilet. Build-up of mists in the working atmosphere must be prevented. Misuse of empty containers can be hazardous. Do not cut, weld, heat or drill containers. Residue may ignite with explosive violence if heated

sufficiently. Do not pressurise or expose to open flame or heat. Keep

container closed and bung in place.

Storage: Combustible, store in a cool, dry, well-ventilated area, out of direct

sunlight. Avoid sparks, flames, and other ignition sources. Store away from

incompatible materials such as materials that support combustion

(oxidising materials/ strong acids). Reference should be made to Australian

Standard AS1940- The storage and handling of flammable and combustible liquids. Store in original packaging as approved by

manufacturer or regulatory direction.

8. EXPOSURE CONTROLS, PERSONAL PROTECTION

Exposure Limits: No exposure standards have been established for this mixture. However,

over-exposure to some chemicals may result in enhancement of pre-existing adverse medical conditions and/ or allergic reactions and

should be kept to the least possible levels.

SDS – Atlantic EP 00 Grease 3 | P a g e



8. EXPOSURE CONTROLS, PERSONAL PROTECTION

(Continued)

Respiratory Protection

If engineering controls are not effective in controlling airborne exposure then respiratory protective equipment should be used suitable for protecting against airborne contaminants. Final choice of appropriate breathing protection is dependent upon actual concentrations and the type of breathing protection required will vary according to individual circumstances. Expert advice may be required to make this decision. Reference should be made to Australian Standards AS/NZS 1715, selection. Use and maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices.

Eye Protection Safety glasses with side shields, goggles or full-face shield is recommended. Final choice of appropriate eye/face protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 – Personal Eye Protection Part 1: Eye and Face Protectors for Industrial Applications.

Hand Protection

Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection,

use and maintenance.

Body Protection Wear appropriate clothing including chemical resistant apron where clothing is likely to be contaminated. It is advisable that a local supplier of personal protective clothing is consulted regarding the choice of material.

Engineering Controls

Natural ventilation should be sufficient, however where vapours or mists are generated the use of a local exhaust ventilation system (drawing spray or mists away from workers breathing zone) is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Liquid grease

Odour : Mild

Solubility in Water : Insoluble

pH Value: Not Provided

Vapour Pressure : Not Provided

Vapour Density : Not Provided

Not Provided

Not Provided

Flash Point : >200°C

Ignition Temperature: Not Provided

SDS – Atlantic EP 00 Grease 4 | P a g e



9. PHYSICAL AND CHEMICAL PROPERTIES

(Continued)

Melting Point : >200°C

Boiling Point : Not Provided Specific Gravity@ 15°C : Not Provided

Kinematic Viscosity cSt @ 40°C : Not Provided

cSt @ 100°C : Not Provided Pour Point : Not Provided

10.STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Hazardous: Has not been reported

Polymerization

Materials to Avoid : No specific material or group is likely to react with the product to produce a

hazardous situation.

Hazardous

Decomposition

Products

Product does not decompose when used and stored as recommended. Thermal decomposition may result in the release of harmful gases and

vapours.

Conditions to avoid : There are no known conditions that are likely to result in a hazardous

situation

11. TOXICOLOGICAL INFORMATION

ACUTE HEALTH EFFECTS

Toxicology Information: No toxicity data is available for this material.

Ingestion: May cause irritation of the gastrointestinal system. Symptoms may

include nausea, vomiting and diarrhoea.

Skin: May cause mild irritation in contact with the skin, which may result

in redness and itchiness, possibly leading to dermatitis.

Eye : May cause mild irritation in contact with the eyes which could result

in redness, stinging and tearing.

Inhalation: May cause irritation to the mucous membrane and upper airways,

where material is heated and is used in poorly ventilated areas.

Symptoms may include headache, dizziness and nausea.

Germ Cell Mutagenicity: Not considered to be a mutagenic hazard.

SDS – Atlantic EP 00 Grease 5 | P a g e



11. TOXICOLOGICAL INFORMATION

(Continued)

Carcinogenicity: Not considered to be a carcinogenic hazard.

Reproductive Toxicity: Not considered to be toxic to reproduction.

STOT – Single Exposure : Not expected to cause toxicity to a specific target organ.

STOT – Repeated Exposure : Not expected to cause toxicity to a specific target organ.

OTHER INFORMATION

Used oils and greases may contain harmful impurities and contaminates that can accumulate during usage. Frequent or prolonged contact with all types and makes of used oil and grease must therefore be avoided.

12. ECOLOGICAL INFORMATION

Ecotoxicity : No ecological data available.

Persistence / Degradability: Not known

Mobility: Non-volatile. This product is poorly absorbed into soil.

Bioaccumulation: Not available

Environmental Protection: Prevent this material from entering waterways, drains and sewers.

13. DISPOSAL CONCIDERATIONS

Dispose of waste according to state E.P.A. regulations. Assure conformity with all applicable regulations.

14. TRANSPORT INFORMATION

Not classified as a Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.

U.N. NUMBER
 PROPER SHIPPING NAME
 None Allocated
 DG CLASS
 None Allocated
 SUBSIDIARY HAZARD
 None Allocated
 HAZCHEM CODE
 None Allocated
 PACKING GROUP
 None Allocated

SDS – Atlantic EP 00 Grease 6 | P a g e



15. REGULATORY INFORMATION

POISONS SCHEDULE : Not scheduled

16.OTHER INFORMATION

REFERENCES: AS/NZS 1715 - Use and maintenance of Respiratory Protective Devices.

AS/NZS 1716 - Respiratory Protective Devices.

AS/NZS 1337 - Personal eye protection Part 1: Eye and face protectors for

occupational applications.

AS/NZS 2161.1 - Occupational protective gloves.

AS 1940 - The storage and handling of flammable and combustible liquids.

CONTACT

For information concerning details on this Safety Data Sheet contact Atlantic Technical Help Line on (02) 8706 3240.

All reasonable care has been taken to ensure that the information and advice contained herein are accurate at the time of printing. However, Atlantic accepts no tortious or contractual liability for any loss or damages suffered as a consequence of reliance on the information and advice contained herein.

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS MSDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE. IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

SDS – Atlantic EP 00 Grease 7 | P a g e